

STANLEY®

AIR COMPRESSORS AND PNEUMATIC TOOLS 2017



A male mechanic with dark hair, wearing a white t-shirt and blue overalls, is focused on his work. He is holding a silver and black Stanley air blower, which has the 'STANLEY' logo and 'F-max R' text on it. He is positioned in a garage, looking up at the underside of a car that is elevated on a lift. The car's large, treaded tire is prominent on the right side of the frame. The background shows the interior of a workshop with various tools and equipment. A large yellow diagonal graphic element is on the left side of the image, containing the text.

THE RANGE OF STANLEY COMPRESSORS

is suitable for the hobbyist, small-time craftspeople and professionals. Production also includes a wide range of accessories and pneumatic tools which satisfy all the main uses of compressed air.


INDEX

2



AIR COMPRESSOR COMPONENTS

9



DIRECT DRIVEN LUBRICATED COMPRESSORS

4



PACKAGING

10



BELT DRIVEN SINGLE-STAGE COMPRESSORS

5



DIRECT DRIVEN OILLESS COMPRESSORS

12



PNEUMATIC TOOLS

AIR COMPRESSOR COMPONENTS

THE MAIN PARTS OF A COMPRESSOR



A AIR COMPRESSOR PUMP

This is the main part of an air compressor. Inside the compressor pump, one or two pistons compress the air taken from the environment and deliver it to the receiver.

G PRESSURE SWITCH

Controls the compressor by switching the machine off when the pressure inside the receiver reaches the default value (for example 8 or 10 bar) and restarts the compressor when the compressed air is used and the pressure drops to a pre-set value.

B AIR DELIVERY PIPE

Connects the compressor pump to the receiver, thus, the compressed air is delivered from the compressor pump to the receiver.

H PRESSURE REDUCER

Makes it possible to reduce the pressure of the air discharged from the receiver and to adjust it according to the application.

C AIR RECEIVER

The vessel which stores the accumulated compressed air ready for use. It is made of extra thick steel and it is always tested to a higher pressure than the working pressure of the compressor. Its function is to compensate the difference between the amount of air produced by the compressor pump and the one required by the user. The use of a larger receiver reduces the number of start-ups required by the compressor.

I SAFETY VALVE

Prevents the pressure inside the receiver from exceeding the safety values in case of the pressure switch failure.

D SHROUD/BELT-GUARD

Protects against accidental contact with the moving parts and directs the cooling air produced by the flywheel or directly by the motor fan towards the areas where the heat is generated.

J DRAIN VALVE

Makes it possible to drain all the water that forms in the receiver due to the condensation of the water vapor contained in the compressed air.

E ELECTRIC MOTOR

Transmits movement to the air compressor pump either directly (direct driven compressors) or through a belt (belt-driven compressors).

K COMPRESSED AIR OUTLET

Used to connect the hose that carries the compressed air to the requested air-powered tool.

F GAUGES

One gauge indicates the pressure of the air inside the air receiver and the other one indicates the outlet that is pressure.

L NON RETURN VALVE

The one way valve that allows the air to flow in one direction only, from the compressor pump to the air receiver.

PACKAGING

STANLEY PACKAGING HIGHLIGHTS

Each model is packed in a coloured box (models above 50 litres in a brown box with colour poster) that uses appealing graphics as well as simple and clear images to illustrate the content and its array of applications, helping the consumer choose the right product.



Pictograms of the main technical characteristics.

Symbols that help the buyer select the right compressor for the intended use.

The same symbols are printed on the packaging of accessories and indicate which compressor is suitable for that tools.




Product photos in the foreground.

Representations of situations of use.

An example: a WHITE symbol on the box of a compressor means that this machine is compatible with all pneumatic tools that have the same symbol on their packaging.

SYMBOL / USE



When printed on the packaging, this symbol indicates that the compressor is suitable for:



BLOWING

INFLATING


AIRBRUSH

STAPLING
NAILING



CLEANING

SPRAYING



2 symbols allow for the following applications:



BLOWING

INFLATING

AIRBRUSH

STAPLING
NAILING




CLEANING

SPRAYING

PROF.SPRAYING

SCREWING



3 symbols allow for a broad field of applications:



BLOWING

INFLATING

AIRBRUSH

STAPLING
NAILING



CLEANING

SPRAYING

PROF.SPRAYING

SCREWING



WASHING

CHISELING

POLISHING

GRINDING

DIRECT DRIVEN OILLESS COMPRESSORS



AIR KIT



- Perfect for small household chores.
- Extremely lightweight and compact (no tank).
- Features a spacious storage compartment for accessories.



ACCESSORIES INCLUDED:

- inflating gun,
- kit of 3 needles for inflating balls, bicycles and small mattresses,
- blowing nozzle,
- 3 metre rubber hose.



Name	Code	Pump	Tank	Power	Cylinder	Max Press.	Lubricated	RPM	Air displacement	Voltage Frequency	Gross weight	Box dimensions	Ean code
AIR KIT	82151905TN595	OL195	-	1,5/1,1	1	8/116	NO	3400	180/6,35	230/50	6,1/13,5	330x255x335	8016738753899

DIRECT DRIVEN OILLESS COMPRESSORS

DN 200/10/5



- Perfect for all home and hobby applications.
- Simple and easy-to-use control panel.
- Easy to transport thanks to the comfortable handle.
- Storage compartment for accessories.
- Compact for easy storage.



Shoulder belt for easy transport.



Compact design.



Accessories not included.

Name	Code	Pump	Tank	Power	Cylinder	Max Press.	Lubricated	RPM	Air displacement	Voltage Frequency	Gross weight	Box dimensions	Ean code
DN 200/10/5	8215250STN596	OL195	5	1,5/1,1	1	10/145	NO	3400	180/6,35	230/50	9,7/21,4	430x210x392	8016738754438

DIRECT DRIVEN OILLESS COMPRESSORS

DN 200/8/6



- Helpful for domestic use or for crafts.
- Lightweight and extremely portable.
- ON/OFF switch and control panel with easy-read gauge makes it simple to use.
- Tool hook and power cord reel on the back.




Accessories not included.




Easy to carry thanks to the comfortable handle.

Rubber feet for enhanced stability during work.

D 200/10/24



- Oilless type product that can perform at up to 10 bar increasing the air reserve in the tank by 25%.
- Perfect for all home and hobby applications.
- Large wheels make it stable and easy to transport.
- Cover with control panel and two built-in storage compartments for accessories.



Handle with rubber knob for easy transport.




Accessories not included.

Name	Code	Pump	Tank L	Power Hp/kW	Cylinder n°	Max Press. bar/PSI	Lubricated	RPM	Air displacement l/min./CFM	Voltage Frequency Volt/Hz	Gross weight kg/lbs	Box dimensions WxDxH	Ean code
DN 200/8/6	C6BB304STN039	OL195	6	1,5/1,1	1	8/116	NO	3400	180/6,35	230/50	10/22	356x315x375	8016738703788
D 200/8/24	B6CC304STN003	OL195	24	1,5/1,1	1	8/116	NO	3400	180/6,35	230/50	17/37,5	570x255x444	8016738702620
D 200/10/24	B6CC304STN004	OL195	24	1,5/1,1	1	10/145	NO	3400	180/6,35	230/50	18,4/40,5	570x255x444	8016738702637

DIRECT DRIVEN OILLESS COMPRESSORS

D 200/10/24V




- Oilless compressor that is maintenance-free.
- Ideal for all hobby applications.
- Maximum pressure 10 bar.
- Compact and easy to transport thanks to the handle built into the shroud.
- Control panel built into the cover.
- Sleek design thanks to the upright tank.
- Rubber feet for enhanced stability during use.



D 230/10/50V



- Extremely versatile compressor thanks to 2 Hp power and an ample reserve of air.
- Sleek design thanks to the compact, upright tank.
- Large handle and wheels make it easy to transport.



Accessories not included.



Name	Code	Pump	Tank L	Power Hp/kW	Cylinder n°	Max Press. bar/PSI	Lubricated	RPM	Air displacement l/min./CFM	Voltage Frequency Volt/Hz	Gross weight kg/lbs	Box dimensions WxDxH	Ean code
D 200/10/24V	8117190STN598	OL195	24	1,5/1,1	1	10/145	NO	3400	180/6,35	230/50	16/35,2	323x323x648	8016738754940
D 230/10/50V	8117180STN067	OL227	50	2/1,5	1	10/145	NO	3400	222/7,8	230/50	24,9/54,9	340x340x865	8016738750478
D 270/10/100V	8213343STN592	OL295	100	2,5/1,8	1	10/145	NO	2850	270/9,5	230/50	45,4/100	467x455x1100	8016738753882

DIRECT DRIVEN LUBRICATED COMPRESSORS


D 211/8/24




- Lubricated standard compressor extremely versatile thanks to its 2 Hp power.
- Powerful and practical for all crafts, even those most demanding.
- Simple controls make it easy to use.
- Rubber grip handle and wheels for easy transport.



D 211/8/50



Same characteristics as D 210/8/24 but with a 50-litre tank for a larger air reserve.




Name	Code	Pump	Tank L	Power Hp/kW	Cylinder n°	Max Press. bar/PSI	Lubricated	RPM	Air displacement l/min./CFM	Voltage Frequency Volt/Hz	Gross weight kg/lbs	Box dimensions LxPxH	Ean code
D 211/8/24	FCCC404STN005	FC2	24	2/1,5	1	8/116	SI	2850	222/7,8	230/50	25,1/55,3	580x255x580	8016738702644
D 211/8/50	FCDV404STN006	FC2	50	2/1,5	1	8/116	SI	2850	222/7,8	230/50	33,3/73,4	770x330x650	8016738702651

BELT DRIVEN SINGLE-STAGE COMPRESSORS


- Belt driven, single stage, two cylinder compressors with cast-iron cylinder for both the skilled craftsman and hobby worker alike.

- Compact machines suitable for use even in tight spaces.
- Simple, user friendly controls.
- Sturdy wheels and comfortable handle ensure easy transport.
- The 100-litre models feature a front caster wheel to simplify transportation.

B 251E/9/50



B 345E/9/100




Name	Code	Pump	Tank	Power	Cylinder	Max Press.	Lubricated	RPM	Air displacement	Voltage Frequency	Gross weight	Box dimensions	Ean code
			L	Hp/kW	n°	bar/PSI			l/min./CFM	Volt/Hz	kg/lbs	WxDxH	
B 251E/9/50	28DC404STN604	B2800	50	2/1,5	2	9/131	YES	1250	255/9	230/50	49,5/109,1	770x340x670	8016738755398
B 345E/9/50	28DC504STN605	B2800B	50	3/2,2	2	9/131	YES	1480	330/11,6	230/50	49,7/109,6	770x340x670	8016738755404
B 251E/9/100	28FC404STN606	B2800	100	2/1,5	2	9/131	YES	1250	255/9	230/50	59/130	950x390x770	8016738755411
B 345E/9/100	28FC504STN607	B2800B	100	3/2,2	2	9/131	YES	1480	330/11,6	230/50	59,2/130,5	950x390x770	8016738755428

BELT DRIVEN SINGLE-STAGE COMPRESSORS


- Traditional range of safe, versatile belt-driven compressors designed for long durability and low air consumption.
- Compatible with a vast range of pneumatic tools.
- Available on tanks from 50 to 270 litres.
- Pump with large finned surfaces for better cooling.
- Simple, user friendly controls.
- Large wheels and sturdy handle ensure easy transport.
- Available with three phase electric motor for heavy duty and extensive use.



B 251/10/50



B 251/10/100



Name	Code	Pump	Tank	Power	Cylinder	Max Press.	Lubricated	RPM	Air displacement	Voltage Frequency	Gross weight	Box dimensions	Ean code
			L	Hp/kW	n°	bar/PSI			l/min./CFM	Volt/Hz	kg/lbs	WxDxH	
B 251/10/50	28DC404STN086	B2800	50	2/1,5	2	10/145	YES	1250	255/9	230/50	51/112,4	800x390x750	8016738753844
B 251/10/100	28FC404STN087	B2800	100	2/1,5	2	10/145	YES	1250	255/9	230/50	68/149,9	1025x435x845	8016738753837
B 251/10/100 T	28FC441STN088	B2800	100	2/1,5	2	10/145	YES	1250	255/9	400/50	69/152,1	1025x435x845	8016738753820
B 345/10/100	28FC504STN089	B2800B	100	3/2,2	2	10/145	YES	1570	330/11,6	230/50	72/158,7	1025x435x845	8016738753813
B 345/10/100 T	28FC541STN090	B2800B	100	3/2,2	2	10/145	YES	1570	330/11,6	400/50	72,5/159,8	1025x435x845	8016738753806
B 345/10/200	28LC504STN158	B2800B	200	3/2,2	2	10/145	YES	1570	330/11,6	230/50	101/222,6	1435x475x1125	8016738762211
B 345/10/200 T	28LC541STN159	B2800B	200	3/2,2	2	10/145	YES	1570	330/11,6	400/50	102/224,9	1435x475x1125	8016738762228
B 395/10/200	36LC504STN160	B3800B	200	3/2,2	2	10/145	YES	1100	390/13,8	230/50	108/238,1	1435x475x1125	8016738762235
B 395/10/200 T	36LC541STN161	B3800B	200	3/2,2	2	10/145	YES	1100	390/13,8	400/50	109/240,3	1435x475x1125	8016738762242
B 475/10/200 T	36LC601STN162	B3800B	200	4/3,0	2	10/145	YES	1400	480/16,9	400/50	110/242,5	1435x475x995	8016738762259
B 475/10/270 T	36NC601STN163	B3800B	270	4/3,0	2	10/145	YES	1400	480/16,9	400/50	161/355	1640x560x1190	8016738762266

PNEUMATIC TOOLS



STANLEY TOOLS HIGHLIGHTS

The product is completely sealed inside the blister pack.

Clear technical data indicated with symbols.


Symbols that identify the most suitable tool for the compressor of interest.

An example: WHITE symbol on the packaging of the pneumatic tools means that it is compatible with all compressors that have the same symbol on their packaging.

Laser Stanley logo on all matt black tools.

The same symbols are printed on the compressor packaging and indicate the range of tools with which they are compatible.

SYMBOL / USE



BLOWING



INFLATING



AIRBRUSH




STAPLING
NAILING



CLEANING



SPRAYING



BLOWING



INFLATING



AIRBRUSH



STAPLING
NAILING



CLEANING



SPRAYING



PROF.SPRAYING



SCREWING



BLOWING



INFLATING



AIRBRUSH



STAPLING
NAILING



CLEANING



SPRAYING



PROF.SPRAYING



SCREWING



WASHING



CHISELING



POLISHING



GRINDING

TOOLS

AIR DUSTING GUNS



Air dusting gun

Code	Ean code	Air displac. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150036XSTN	8016738719871	150/5,3	8/116	Blister	8
170036XSTN	8016738762860	150/5,3	8/116	Multibox	12



Air dusting gun long nose

Code	Ean code	Air displac. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150026XSTN	8016738719055	150/5,3	8/116	Blister	8
170026XSTN	8016738762884	150/5,3	8/116	Multibox	12



Air dusting gun with variable air flow

Code	Ean code	Air displac. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150022XSTN	8016738719147	150/5,3	8/116	Blister	6

INFLATING GUNS



Inflating gun

Code	Ean code	Air displac. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150533XSTN	8016738719031	100/3,5	10/145	Blister	4
170533XSTN	8016738762877	100/3,5	10/145	Multibox	12



Homologated inflating gun + kit 3 needles for inflating

Code	Ean code	Air displac. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150534XSTN	8016738719383	550/19,4	10/145	Blister	4

WASHING GUNS



Spray nozzle 1 litre

Code	Ean code	Air displac. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150043XSTN	8016738719093	130/4,6	8/116	Blister	2



Air/water washing gun

Code	Ean code	Air displac. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150049XSTN	8016738719123	180/6,4	8/116	Blister	2

SANDBLASTING GUNS



Sandblasting gun

Code	Ean code	Air displac. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150063XSTN	8016738719109	300/10,5	8/116	Blister	2



Professional sandblasting gun

Code	Ean code	Air displac. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150063XSTN	8016738719079	300/10,5	8/116	Blister	2

AIR CAULKING AND GREASE GUNS



Air caulking gun

Code	Ean code	Air displac. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
120573XSTN	8016738719789	320/11,3	3/43,5	Box	1



Pneumatic grease gun

Code	Ean code	Air displac. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
120569XSTN	8016738719840	100/3,5	6/87	Box	1

SPRAY GUNS



Air brush kit



Code	Ean code	Air displac. l/min./ CFM	Max working pressure bar/ PSI	Tank L	Nozzle ø mm	Packaging	Pcs. master
150119XSTN	8016738714456	15/0,5	3/43,5	1x22/1x50	0,4	Blister	2



Precision spray gun



Code	Ean code	Air displac. l/min./ CFM	Max working pressure bar/ PSI	Tank L	Nozzle ø mm	Packaging	Pcs. master
150129XSTN	8016738714463	113,5/4	4/58	0,25	0,5	Blister	2



Primer gravity spray gun



Code	Ean code	Air displac. l/min./ CFM	Max working pressure bar/ PSI	Tank L	Nozzle ø mm	Packaging	Pcs. master
160132XSTN	8016738719772	141,6/5	4/58	0,50	2,5	Blister	2



Gravity spray gun



Code	Ean code	Air displac. l/min./ CFM	Max working pressure bar/ PSI	Tank L	Nozzle ø mm	Packaging	Pcs. master
150133XSTN	8016738719062	156/5,5	4/58	0,50	1,4	Blister	2
170133XSTN	8016738762891	156/5,5	4/58	0,50	1,4	Multibox	6

SPRAY GUNS



Low pressure spray gun

Code	Ean code	Air displac. l/min./ CFM	Max working pressure bar/ PSI	Tank L	Nozzle ø mm	Packaging	Pcs. master
150120XSTN	8016738719727	200/7,1	3/43,5	1	1,4	Blister	2



Suction spray gun

Code	Ean code	Air displac. l/min./ CFM	Max working pressure bar/ PSI	Tank L	Nozzle ø mm	Packaging	Pcs. master
151093XSTN	8016738719130	156/5,5	4/58	1	1,4	Blister	2



Professional spray gun

Code	Ean code	Air displac. l/min./ CFM	Max working pressure bar/ PSI	Tank L	Nozzle ø mm	Packaging	Pcs. master
150124XSTN	8016738714487	300/10,6	4/58	1	1,8	Blister	2

SANDER



Dual orbital sander

Code	Ean code	Air displac. l/min./ CFM	Max working pressure bar/ PSI	Speed RPM	Packaging	Pcs. master
150151XSTN	8016738719857	85/3	8/116	18.000	Box	1

NEW RANGE OF THE PNEUMATIC TOOLS



Air dusting gun flexible long nose



Code	Ean code	Air displ. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150035XSTN616	8016738719185	150/5,3	4/58	Blister	8

NEW



TORCIA AL LED



Inflating gun + kit 3 needles for inflating



Code	Ean code	Air displ. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150532XSTN614	8016738719161	100/3,5	10/145	Blister	4

NEW



TORCIA AL LED



Homologated inflating gun + kit 3 needles for inflating



Code	Ean code	Air displ. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150534XSTN615	8016738719178	100/3,5	10/145	Blister	4

NEW



Spray gun with mixer



Code	Ean code	Air displ. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
160132XSTN617	8016738719192	100/3,5	10/145	Blister	2

NEW

NEW INFLATING GUNS

3 IN 1: INFLATION, DEFLATION AND PRESSURE GAUGE.

- New ergonomic design makes it easy to use and hold.
- Simple and intuitive controls.



Inflating gun

- Suitable for inflating balls bicycle wheels and air beds.
- Gauge diameter: 50 mm.
- Rubber hose: 40 cm.

Code	Ean code	Air displac. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150703XSTN	8016738719901	100/3,5	10/145	Blister	2



MADE IN ITALY

Homologated inflating gun

- Suitable for inflating car and motorcycle tyres as well as balls, bicycles and air beds.
- Gauge diameter: 63 mm.
- Rubber hose: 40 cm.

Code	Ean code	Air displac. l/min./ CFM	Max working press. bar/ PSI	Packaging	Pcs. master
150704XSTN	8016738719918	100/3,5	10/145	Box	4

NEW

AIR HOSES



Spiral hose 5 m bayonet couplings

Code	Ean code	Diameter	Length	Max working pressure	Material	Exits	Packaging	Pcs. master
		mm	m	bar/ PSI				
176006XSTN	8016738719086	6x8	5	10/145	Black PE	Bayonet coupl.	Multibox	8



Spiral hose 5 m quick couplings

Code	Ean code	Diameter	Length	Max working pressure	Material	Exits	Packaging	Pcs. master
		mm	m	bar/ PSI				
166005XSTN	8016738714531	6x8	5	10/145	Black PE	Quick coupling	Transp. bag	4
176505XSTN	8016738762990	6x8	5	10/145	Black PE	Quick coupling	Multibox	8



Spiral hose 10 m quick couplings

Code	Ean code	Diameter	Length	Max working pressure	Material	Exits	Packaging	Pcs. master
		mm	m	bar/ PSI				
8221577STN	8016738708714	6x8	10	10/145	Black PE	Quick coupling	Transp. bag	4



Spiral hose 15 m bayonet couplings

Code	Ean code	Diameter	Length	Max working pressure	Material	Exits	Packaging	Pcs. master
		mm	m	bar/ PSI				
170016XSTN	8016738719116	6x8	15	10/145	Black PE	Bayonet coupl.	Transp. bag	4



Spiral hose 15 m quick couplings

Code	Ean code	Diameter	Length	Max working pressure	Material	Exits	Packaging	Pcs. master
		mm	m	bar/ PSI				
170020XSTN	8016738714524	6x8	15	10/145	Black PE	Quick coupling	Transp. bag	4



Hose 10 m bayonet couplings

Code	Ean code	Diameter	Length	Max working pressure	Material	Exits	Packaging	Pcs. master
		mm	m	bar/ PSI				
170010XSTN	8016738719543	6x11	10	20/290	Black PVC	Bayonet coupl.	Shrink film	4

AIR HOSES



Hose 10 m quick couplings

Code	Ean code	Diameter mm	Length m	Max working pressure bar/ PSI	Material	Exits	Packaging	Pcs. master
8221579STN	8016738714517	6x11	10	20/290	Black PVC	Quick coupling	Shrink film	2
166018XSTN	8016738719307	8x13	10	20/290	Black PVC	Quick coupling	Blister	2



Hose 20 m quick couplings

Code	Ean code	Diameter mm	Length m	Max working pressure bar/ PSI	Material	Exits	Packaging	Pcs. master
8221580STN	8016738708721	6x11	20	20/290	Black PVC	Quick coupling	Shrink film	2



Reinforced hose

Code	Ean code	Diameter mm	Length m	Max working pressure bar/ PSI	Material	Exits	Packaging	Pcs. master
176609XSTN	8016738719482	6x11	15	20/290	Transparent PVC	-	Shrink film	2



Hose reel 9 m quick couplings

Code	Ean code	Diameter	Length m	Max working pressure bar/ PSI	Material	Exits	Packaging	Pcs. master
9045698STN	8016738715651	6,5x10	9	12/174	Yellow PU	Quick coupling	Box	1



Hose reel 20 m quick couplings

Code	Ean code	Diameter	Length m	Max working pressure bar/ PSI	Material	Exits	Packaging	Pcs. master
166013XSTN	8016738715569	8x12	20	18/261	Yellow PVC	Quick coupling	Box	1

ACCESSORIES



Pressure gauge

Code	Ean code	Max working pressure bar/ PSI	Packaging	Pcs. master
150538XSTN	8016738719659	12/174	Blister	2



Inflating kit 3 pcs.

Code	Ean code	Packaging	Pcs. master
150537XSTN	8016738708660	Blister	6



4 chises hex fitting Ø 10 mm (160173XSTN)

Code	Ean code	Packaging	Pcs. master
163092XSTN	8016738719758	Blister	4



Pneumatic hammer retaining spring (160173XSTN)

Code	Ean code	Packaging	Pcs. master
153173XSTN	8016738714418	Blister	2



Air tap 1/4" M - 1/4" F

Code	Ean code	Packaging	Pcs. master
152084XSTN	8016738714692	Blister	4



Drain valve

Code	Ean code	Description	Packaging	Pcs. master
152074XSTN	8016738714708	1/4" M	Blister	6
152094XSTN	8016738719710	3/8" M	Blister	4

ACCESSORIES



Safety valve 1/4" M

Code	Ean code	Working press. bar/ PSI	Packaging	Pcs. master
152152XSTN	8016738719550	10/145	Blister	4



Inflating nozzle for tyres Michelin type Ø 6x11 mm

Code	Ean code	Packaging	Pcs. master
156026XSTN	8016738714630	Blister	6



Tape of unsintered PTFE

Code	Ean code	Packaging	Pcs. master
153084XSTN	8016738714685	Blister	6



Mini oiler 1/4" F - 1/4" M

Code	Ean code	Packaging	Pcs. master
153154XSTN	8016738714654	Blister	4



Pressure switch 4 ways monophasic (1 via 3/8" F + 3 via 1/4" F)

Code	Ean code	Max working pressure bar/ PSI	Packaging	Pcs. master
152077XSTN	8016738719512	12/174	Blister	2



Air filter 3/8" M

Code	Ean code	Packaging	Pcs. master
152170XSTN	8016738719284	Blister	4

ACCESSORIES



Pressure gauge 10 bar

Code	Ean code	Description	Packaging	Pcs. master
152176XSTN	8016738719628	1/8" M - 1/4" M Ø 40 mm	Blister	2
152163XSTN	8016738714678	1/8" M - 1/8" M Ø 50 mm	Blister	2



Mini regulator with gauge 1/4" F with quick coupling

Code	Ean code	Max working pressure bar/ PSI	Packaging	Pcs. master
152166XSTN	8016738714661	12/175	Blister	2



Filter regulator with gauge 3/8" M + 2 quick couplings

Code	Ean code	Max working pressure bar/ PSI	Packaging	Pcs. master
152172XSTN	8016738719697	10/145	Blister	2



Filter regulator with gauge 1/4" F

Code	Ean code	Max working pressure bar/ PSI	Packaging	Pcs. master
152164XSTN	8016738714647	9,5/135	Blister	2



Purification filter 1/4" F

Code	Ean code	Max working pressure bar/ PSI	Packaging	Pcs. master
152168XSTN	8016738719680	10,5/150	Blister	2



Oil for tools and compressors 0,6 Lt

Code	Ean code	Description	Packaging	Pcs. master
122015XSTN	8016738719864	SAE 5W40	Bottle	1
122014XSTN	8016738714715	SAE40 ISO VG100	Bottle	1

FITTINGS

HOSE FITTINGS



Quick connector assembly kit

Code	Ean code	Description	Packaging	Pcs. master
166431XSTN	8016738714623	for hose Ø 6x11 mm	Blister	4
166432XSTN	8016738719291	for hose Ø 8x13 mm	Blister	4



Hose tail and clamps - 2 pcs.

Code	Ean code	Description	Packaging	Pcs. master
156020XSTN	8016738719420	for hose Ø 6x11 mm	Blister	6
156021XSTN	8016738719574	for hose Ø 8x13 mm	Blister	6



Hose tail fitting 2 pcs.

Code	Ean code	Description	Packaging	Pcs. master
156032XSTN	8016738719413	for hose Ø 6x11 mm 1/4" M	Blister	6
156033XSTN	8016738719598	for hose Ø 8x13 mm 3/8" M	Blister	6



Hose joiner with 2 clamps

Code	Ean code	Description	Packaging	Pcs. master
156030XSTN	8016738719635	for hose Ø 6x11 mm	Blister	4
156031XSTN	8016738719642	for hose Ø 8x13 mm	Blister	4



Hose joiner with clamp

Code	Ean code	Description	Packaging	Pcs. master
166586XSTN	8016738719314	for hose Ø 6x11 mm	Blister	4
166573XSTN	8016738719215	for hose Ø 8x13 mm	Blister	4
156525XSTN	8016738719673	for hose Ø 6x11 mm Orion	Blister	6
156503XSTN	8016738719475	for hose Ø 8x13 mm Orion	Blister	6



Hose clamp - 6 pcs.

Code	Ean code	Description	Packaging	Pcs. master
156034XSTN	8016738719352	for hose Ø 6x11 mm	Blister	6
156036XSTN	8016738719505	for hose Ø 8x13 mm	Blister	6

QUICK COUPLINGS



Quick coupling kit 1/4" M Orion

Code	Ean code	Packaging	Pcs. master
156565XSTN	8016738719406	Blister	4



Quick connector with bayonet coupling

Code	Ean code	Packaging	Pcs. master
156500XSTN	8016738714593	Blister	4



Threaded quick connector M

Code	Ean code	Description	Packaging	Pcs. master
166582XSTN	8016738714579	1/4" M	Blister	4
156510XSTN	8016738719321	1/4" M Orion	Blister	6
166570XSTN	8016738719246	3/8" M	Blister	4
156501XSTN	8016738719451	3/8" M Orion	Blister	4



Threaded quick connector F

Code	Ean code	Description	Packaging	Pcs. master
166584XSTN	8016738714586	1/4" F	Blister	4
156520XSTN	8016738719666	1/4" F Orion	Blister	6
156306XSTN	8016738719581	3/8" F	Blister	4



Hose tail quick coupler with clamp

Code	Ean code	Description	Packaging	Pcs. master
156426XSTN	8016738719239	for hose Ø 6x11 mm	Blister	4
156323XSTN	8016738719048	for hose Ø 8x13 mm	Blister	4



Quick release coupling

Code	Ean code	Description	Packaging	Pcs. master
156424XSTN	8016738714616	1/4" F	Blister	4
156322XSTN	8016738719390	3/8" F	Blister	4



Threaded quick release coupling

Code	Ean code	Description	Packaging	Pcs. master
156422XSTN	8016738714609	1/4" M	Blister	4
156320XSTN	8016738719253	3/8" M	Blister	4
166710XSTN	8016738719208	1/2" M	Blister	4

BAYONET COUPLINGS



T joint with 3 milled nuts Ø 6x11 mm

Code	Ean code	Packaging	Pcs. master
156127XSTN	8016738719611	Blister	6



Fitting with 2 milled nuts Ø 6x11 mm

Code	Ean code	Packaging	Pcs. master
156105XSTN	8016738719376	Blister	6



Bayonet connector/quick coupling adaptor Ø 6x11 mm

Code	Ean code	Packaging	Pcs. master
156352XSTN	8016738719499	Blister	4



Fitting with milled nut 1/4" M Ø 6x11 mm

Code	Ean code	Packaging	Pcs. master
156109XSTN	8016738719260	Blister	6



Bayonet fitting 1/4" M

Code	Ean code	Packaging	Pcs. master
156108XSTN	8016738719444	Blister	6



Milled nut 1/4" F - 2 pcs.

Code	Ean code	Packaging	Pcs. master
156120XSTN	8016738719468	Blister	6

CONNECTION FITTINGS



Connector reducer 3/8" M - 1/2" M

Code	Ean code	Packaging	Pcs. master
156116XSTN	8016738719765	Blister	6



Connector reducer 3/8" M - 1/4" M

Code	Ean code	Packaging	Pcs. master
156113XSTN	8016738719741	Blister	4



Connector reducer 1/8" M - 1/4" F

Code	Ean code	Packaging	Pcs. master
156114XSTN	8016738719536	Blister	4



Connector reducer 1/4" M - 3/8" F

Code	Ean code	Packaging	Pcs. master
156118XSTN	8016738719437	Blister	4



Connector reducer 3/8" M - 1/4" F

Code	Ean code	Packaging	Pcs. master
156112XSTN	8016738714555	Blister	4



Connector 1/4" M - 1/4" M

Code	Ean code	Packaging	Pcs. master
156106XSTN	8016738714548	Blister	6



Connector 3/8" M - 3/8" M

Code	Ean code	Packaging	Pcs. master
156110XSTN	8016738719703	Blister	4



3 way connector 2 x 1/4" F - 1 x 3/8" F

Code	Ean code	Packaging	Pcs. master
156128XSTN	8016738719345	Blister	4

BOX AND CASE KITS

KIT 4 PCS.



- Inflating gun
- Inflating kit 3 pcs.

Code	Description	Ean code	Packaging	Pcs. master
150540XSTN	Non omologata	8016738714821	Blister	4
150539XSTN	Omologata	8016738715668	Blister	4

KIT 6 PCS.



- Air dusting gun
- Inflating gun
- Inflating kit 3 pcs.
- Spiral hose (5m)

Code	Ean code	Packaging	Pcs. master
9045717STN	8016738714722	Box	1

KIT 8 PCS.



- Air dusting gun
- Inflating gun
- Inflating kit 3 pcs.
- Gravity spray gun 1/2 L (9045671STN)
- Suction spray gun 1 L (9045865STN)
- Spray nozzle
- Spiral hose (5m)



Code	Ean code	Packaging	Pz. master
9045671STN	8016738709384	Box	1
9045865STN	8016738763270	Box	1

CAR KIT 8 PCS.



- Avvitatore ad impulsi 1/2"
- 4 sockets
- Air dusting gun
- Inflating gun
- Hose (10m)



Code	Ean code	Packaging	Pcs. master
9045769STN	8016738715576	Box	4

KIT 9 PCS.



- Air dusting gun long nose
- Inflating gun
- Inflating kit 3 pcs.
- Gravity spray gun 1/2 L
- Air/water washing gun
- Spray nozzle
- Hose (5m)



Code	Ean code	Packaging	Pcs. master
9045718STN	8016738714739	Box	4

KIT 34 PCS.



- 1/2" impact wrench
- Ratchet wrench with socket set and extension
- Pneumatic hammer with 3 chisels
- Die grinder with 3 grinding wheels



Code	Ean code	Max working press. bar/PSI	Air connection	Pcs. master
8221074STN	8016738709391	6/87	1/4"	2

DIE GRINDER KIT



- Die grinder
- 10 grinding stones Ø 6/3 mm
- 2 keys
- 1 chuck Ø 3 mm
- 1 chuck Ø 6 mm
- 2 quick couplings 1/4" M



Code	Ean code	Air displac. l/min./CFM	Max working press. bar/PSI	Air connection	Speed/min. RPM	Pcs. master
160153XSTN	8016738708684	170/6	6/87	1/4"	25.000	4

IMPACT WRENCH KIT



- Impact wrench 1/2"
- 10 sockets (9,10,11,13,14,17,19,22,24,27)
- 1 mini oiler
- 1 extension
- 2 quick couplings 1/4" M
- 1 socket head key
- 1 oil bottle



Code	Ean code	Air displac. l/min./CFM	Max working press. bar/PSI	Air connection	Speed/min. RPM	Pcs. master
160157XSTN	8016738708691	200/7	6/87	1/4"	4600	5

DRILL KIT



- Reversible drill
- 10 HSS drill bits black coated (1,5-2-2,5-3-3,5-4-4,5-5-5,5-6)
- 1 adaptor
- 6 screw bits (PH1,PH2,PZ1,PZ2,5,6)
- 1 mini oiler
- 2 quick couplings 1/4" M
- 1 oil bottle



Code	Ean code	Air displac. l/min./CFM	Max working press. bar/PSI	Air connection	Speed/min. RPM	Pcs. master
160189XSTN	8016738709353	170/6	6/87	1/4"	2000	2

PNEUMATIC HAMMER KIT



- Pneumatic hammer
- 4 chisels
- 1 pneumatic hammer retaining spring
- 1 mini oiler
- 2 quick couplings 1/4" M
- 1 oil bottle



Code	Ean code	Air displ. l/min./CFM	Max working press. bar/PSI	Air connection	Percussion/min. RPM	Pcs. master
160173XSTN	8016738708707	170/6	6/87	1/4"	4000	4

SPRAY GUN KIT



- Suction spray gun
- 1 multipurpose key
- 1 quick coupling 1/4" M (D)
- 1 small brush



Code	Ean code	Air displ. l/min./CFM	Max working press. bar/PSI	Tank L	Nozzle ø mm	Pcs. master
160123XSTN	8016738709360	180/6,3	4/58	1	1,8	1

SPRAY GUN KIT



- Gravity spray gun
- 1 multipurpose key
- 1 quick coupling 1/4" M (D)
- 1 small brush



Code	Ean code	Air displ. l/min./CFM	Max working press. bar/PSI	Tank L	Nozzle ø mm	Pcs. master
161132XSTN	8016738709377	180/6,3	4/58	0,6	1,4	1

WARRANTY

1. All FNA air tools and accessories are covered by warranty for a period of twelve months from the invoice date.

The warranty is valid only if the buyer has fully paid for the machine and the machine is running on a normal suitable environment and correctly installed. Excluded from the warranty are all electric components and all the wear and tear. The warranty makes FNA responsible to support the costs of repairing or replacing all parts that are defective according to their engineers, as long as these defects are due to manufacturing problems or quality of the materials (which are the manufactures responsibility) and are not dependant on normal wear and tear or negligence of the operator or improper use of the product.

Also if the product was not used accordingly to the instructions or wholly or partly dismantled or repaired by unauthorized people or by excessive usage of the machine or unsuitable applications or due to force major.

All the compressors with tank up to 100 must be returned to the repair centre at the customer's cost and will be delivered including carriage. The warranty considered is applied under law.

2. These Conditions of sale shall be considered applicable to any supply contract (or agreement for sale) concerning the FNA products unless otherwise expressly specified in writing and accepted. These conditions of sale are not binding and may be subject to change without prior notice. All supplies are understood to be accepted at prices included in the official FNA price list that is effective when the goods are despatched even if these are delivered late in comparison to the scheduled delivery date. Prices, discounts and conditions of single supplies are not binding for following orders. The orders collected by agents representatives on people entitled by FNA S.p.A are submitted to its unquestionable judgment; therefore any order must not be considered as accepted until the company has issued an order confirmation.

All deliveries of the goods are always priced ex works FNA's factory Torino.

Packaging in cardboard boxes is included in the price: Packaging in cases or wooden boxes will be charged at cost.

The customer can not cancel orders accepted by the company without the consent in writing. Orders concerning goods already shipped can never be cancelled.

3. The company engages itself to respect the stated delivery times, but it is not responsible for delays due - for example - to difficulties or problems in procurements and in transport suspensions or in energy supplies, breakdowns failure of machinery, strikes and any other cause that limit the company production.

The delivery delays shall not entitle the purchaser to claim for Consequential loss or damages nor to cancel or reduce the order or solve the contract. Delivery terms are never binding.

4. Goods always travel at risk and peril of the purchaser even if the delivery is free of charge. The claims for delays or damages due to the transport must go only to the forwarding agent when goods are delivered.

The purchaser must check the goods immediately after having received them: After 8 days from the arrival to the recipient goods shall be Considered as accepted. The eventual claims concerning the quality of goods must be sent in writing by registered mail addressed to FNA S.p.A. within 8 days from the date

of receiving. For operating flaws, visible only by using the product, the claim terms become 30 days from the date of receiving the goods.

If FNA S.p.A. accepts (in writing) the claim (if the claim is considered valid,) it has to only replace the goods carriage free, without any other penalty or indemnity.

The company cannot accept any responsibility for any damage to persons or things caused by the use of its products.

5. Changes to products, technical data specifications and photographs indicated in this catalogue/ price list or any other informative material are not binding and may be subject to change without prior notice.

6. Compressors installation, electrical and hydraulic connections are at the customer's cost.

7. The eventual intervention executed by FNA's technical personnel for the first starting testing will be invoiced separately.

8. All compressors in the present catalogue/ price list are equipped by tanks are manufactured according to CE regulations.

9. The purchaser must respect the terms of payment as stated on the company's invoice and addressed to FNA S.p.A head office and indicated in the invoice, or paid to the courier in case of cash on delivery.

10. For no reason and under no authority, not even in case of faulty products for which has been presented a claim, the purchaser should consider itself eligible to postpone the payment deadline. Delays in payments shall result in application of penalty interests according to current bank interest rates until payment is received and the company retains the legal ownership of the goods delivered. Deductions, bonuses, deductions, up/down rounding, greater discounts compare to what was agreed upon, constitute agreement non-fulfilment by the purchaser.

In case of agreement non-fulfilment FNA S.p.A reserve itself the right to perform any other action, demand anticipated payment of the remaining credits and to consider over any ongoing agreement relation and suspend its execution while the purchaser can not demand reimbursements and indemnity.

11. The court of Torino shall have exclusive jurisdiction over any disputes relating to the terms and conditions mentioned above.

Under and for the effects of articles 1341 and 1342 Italian Civil Code the following clauses are subjected to express written approval:

1. (warranty of adequate functioning);

3. (limitation of the responsibility for delays);

4. (delays or damages caused by transportation - terms for the claim of the purchaser - limitation of responsibility after claim of the purchaser - immunity for damages to persons or things);

10. (prohibition of payments postponement - anticipated payment - resolution clause - limitation of responsibility deductions, bonuses, deductions, up/down rounding, greater discounts compare to what was agreed upon);

11. (exclusive jurisdiction).



STANLEY, The STANLEY Logo, The Notched Rectangle and the Yellow and Black Diagonal Package Design are all trademarks of Stanley Black & Decker, Inc or an affiliate thereof and are used under license.

Manufactured under license by:

FNA S.p.A.
via Einaudi 6,
10070 Robassomero (TO) Italy
Tel. +39 011 92 33 000
Fax +39 011 92 41 138
info@fnacompressors.com
www.fnacompressors.com

Distributed by:

FNA, is an industrial company with over 65 years of experience in the compressed air, today represents the largest manufacturer of piston compressors in the world. FINI NUAIR makes its mark on the market thanks to its dynamism and technological innovation. Know-how, creativity, integrated marketing activities, flexible production processes, quality and 'tailor-made' customer service are the strong points of **FNA** which avails itself, in Europe, of a highly experienced and qualified managers team, able to interpret the needs of the market and clients in relation to product definition, development and distribution.