

DEWALT®

**MATERIAL HANDLING
CATALOGUE 2020**

www.DEWALT.com

GUARANTEED TOUGH.®

INDEX

GUARANTEED TOUGH.

Dewalt hand trucks are built from the ground up to support the heaviest of loads. Designed to raise the bar on toughness and durability. With a load bearing capacity of up to 2200 lbs you can be sure these trucks can bear more than you can lift.

When you're moving a heavy stack of panels or bags of cement, you want to have confidence in the equipment you use. Dewalt trucks allow you to move heavy items securely and easily.

Dewalt trucks are Guaranteed Tough.



HANDTRUCKS

DXWT-HT101	Page 4
DXWT-HT101-KIT	Page 4
DXWT-100	Page 5
DXWT-100-KIT	Page 5
DXWT-HT500	Page 7
DXWT-HT501	Page 7

DOLLIES & CARTS

DXWT-PS200	Page 9
DXWT-PS201	Page 9
DXWT-PS202	Page 9
DXWT-PC504	Page 9

ACCESSORIES

DXWT-SW900	Page 11
DXWT-PC508	Page 11
DXWT-HT301	Page 11
DXWT-PC509	Page 11
DXWT-SW510	Page 11



DXWT-HT101-KIT
EXTENDED BACK STEEL HANDTRUCK WITH



Large extended Backrest for safe and easy manouvring of large loads. Ideal for moving appliances or large boxes. The extended back allows you to securely strap oversized goods to the truck. The foldable platform greatly increases the loading area.

Designed to raise the bar on toughness and durability. Oversized tubing with matte epoxy based powder coat ensures a good grip, wherever you need to grab hold of the frame.

A no-frills all-steel truck that can take a beating. Runs on unique flat free DEWALT Steel Core 12" Wheels.

- KIT Includes:**
- 4pc Load Protector Set
 - Extendable Platform

SPECIFICATIONS	
Capacity	500kg (1100lbs) 250kg (550lbs) with platform extended
Wheels	300mm (12inch)
Load Plate	55x23cm
Outer Dimensions	60x50x145cm
Barcode	EAN 8717496637062

ALSO AVAILABLE:



DXWT-HT101
EXTENDED STEEL
HANDTRUCK

No extendable platform. No load blocks. No frills. All the same toughness and heavy loading capacity. Runs on unique flat free DEWALT Steel Core 12" Wheels.

SPECIFICATIONS	
Capacity	500kg (1100lbs)
Wheels	300mm (12inch)
Load Plate	55x23cm
Outer Dimensions	60x50x145cm
Barcode	EAN 8717496636799

DXWT-HT100-KIT
STEEL HANDTRUCK WITH KIT



The large loop handle allows the truck to lay flat on its back for easy loading of loose goods. Perfect for moving bags of plaster where an extended back rest is not needed.

Designed to raise the bar on toughness and durability. Oversized tubing with a matte epoxy based powder coat ensures a good grip, wherever you need to grab hold of the frame.

A no-frills all-steel truck that can take a beating. Runs on unique flat free DEWALT Steel Core 12" Wheels.

- KIT Includes:**
- 4pc Load Protector Set
 - Extendable Platform

SPECIFICATIONS	
Capacity	500kg (1100lbs) 250kg (550lbs) with platform extended
Wheels	300mm (12inch)
Load Plate	55x23cm
Outer Dimensions	60x50x132cm
Barcode	EAN 8717496637055

ALSO AVAILABLE:



DXWT-HT100
STEEL HANDTRUCK

No extendable platform. No load blocks. No frills. All the same toughness and heavy loading capacity. Runs on unique flat free DEWALT Steel Core 12" Wheels.

SPECIFICATIONS	
Capacity	500kg (1100lbs)
Wheels	300mm (12inch)
Load Plate	55x23cm
Outer Dimensions	60x50x132cm
Barcode	EAN 8717496636782



DXWT-HT500 ALL-IN-ONE HANDTRUCK

All-in-one design: P-Handle let's truck lay flat on it's back for easy loading. Regular handles provide a wider grip for more stability. Obstacle climbing guides allow you to traverse steps and stairs easily. Extendable load plate for over sized or loose goods. Extra wide loading plate accomodates larger boxes stable and secure.

Runs on unique DEWALT Steel Core 10" wheels.

SPECIFICATIONS

Capacity	300kg (660lbs) 150kg (330lbs) with platform extended
Wheels	260mm (10inch) Steel Core PU
Load Plate	55x23cm
Outer Dimensions	60x50x132cm
Barcode	EAN 8717496637284

DXWT-HT501 P-HANDLE HANDTRUCK

P-Handle Design: Popular handle for delivery applications. The truck can be moved with one hand. The Narrow grip is perfect for moving through tight corners. Ideal for lighter applications where speed and maneuverability are important.

Runs on unique DEWALT Steel Core 10" wheels.

SPECIFICATIONS

Capacity	300kg (660lbs)
Wheels	260mm (10inch) Steel Core PU
Load Plate	40x23cm
Outer Dimensions	60x50x132cm
Barcode	EAN 8717496637291



DOLLIES
& CARTS



DXWT-PS200 / DXWT-PS201
STEEL DOOR DOLLIES

Move full size sheets or doors easy and single-handed. The hinged clamping action allows loading by a single person. Includes anti-slip surface to prevent plates from sliding. Runs on 12" Steel Core wheels designed to withstand running on edge.

SPECIFICATIONS	DXWT-PS200	DXWT-PS201
Capacity	500kg (660lbs)	500kg (660lbs)
Wheels	300mm (12inch)	300mm (12inch)
Clamping Action	40 to 120mm	80 to 200mm
Outer Dimensions	340x440x410mm	340x480x410mm
Barcode	EAN 8717496636805	EAN 8717496636812

DXWT-PS202
STEEL PANEL CART

Designed to move stacks of plasterboard or panels. Bolted assembly of backrest and push rods. Includes anti-slip surface to prevent plates from sliding. Runs on 12" Steel Core wheels.

SPECIFICATIONS	
Capacity	500kg (660lbs)
Wheels	300mm (12inch)
Max Plate Stack	180mm
Outer Dimensions	215x430x1040mm
Barcode	EAN 8717496636829



DXWT-PC504
STEEL PLATFORM CART

Solid PU tires cannot spring a leak. Swivel wheels can be installed front or back. Large diameter wheels for moving over uneven terrain.

SPECIFICATIONS	
Capacity	300kg (660lbs)
Wheels	250mm PU Casters
Platform Size	800x600mm
Outer Dimensions	915x615x864mm
Barcode	EAN 8717496637321



ACCESSORIES




DXWT-SW900
300MM STEELCORE PU WHEEL

DEWALT DXWT-900 Steel Core PU Wheel 12" 250kg 300mm innovative "Steel Core" flat free wheel. Heavy duty load capacity. Minimal PU compression to accommodate heavy loadings. Designed to withstand running on edge. Not for highway use.




DXWT-PC508
260MM STEELCORE PU WHEEL

Environmentally safe. Tüv Certified to EU REACH standards and the stricter German GS standard. Wide steel needle bearing in plastic cage with dust seals Solid PU tire cannot spring a leak. Not for highway use.



DXWT-HT301
EXTENDABLE PLATFORM

DEWALT DXWT-301 Extendable Platform Kit. Includes 2 shoulder screws for attachment to the truck frame. For use on DXWT-100 and DXWT-101 series. Enables transport of loose or oversized goods.



DXWT-HT300
SOLID PU LOAD PROTECTORS

Anti marring solid PU load blocks. Snaps onto any 32mm frame tube. Can be used on all DEWALT trucks.



DXWT-SW509
200MM FIXED CASTER WHEEL

For item DXWT-PS504. 200mm Tire diameter with rugged profile gets the truck over rough terrain



DXWT-SW510
200MM SWIVEL CASTER WHEEL

For item DXWT-PS504. 200mm Tire diameter with rugged profile gets the truck over rough terrain

SPECIFICATIONS

Capacity	250kg
Outer Diameter	300mm
Axle Diameter	25mm
Barcode	8717496636911

SPECIFICATIONS

Capacity	250kg
Outer Diameter	250mm
Axle Diameter	25mm
Barcode	8717496637369

SPECIFICATIONS

Capacity	250kg
Usable Load Area	50x30cm
Material	Steel
Barcode	8717496636874

SPECIFICATIONS

Material	PU
Barcode	8717496636867

SPECIFICATIONS

Capacity	100kg
Outer Diameter	200mm
Material	Steel Hub & PU Tire
Barcode	8717496637376

SPECIFICATIONS

Capacity	100kg
Outer Diameter	200mm
Material	Steel Hub & PU Tire
Barcode	8717496637383

STEEL CORE FLAT FREE PU WHEEL

The innovative Steel Core wheel has a solid PU tire cast around a hollow steel core. It runs on full width needle bearings in a steel cage. This construction offers a tremendous loading capacity of 500kg (1100 lbs) per wheel. The solid PU tire cannot spring a leak. It can never run off the hub. It's the wheels that make or break the truck under heavy load bearing. Dewalt Steel Core wheels are Guaranteed Tough.



Manufactured and Distributed by:



SAM-Works HK Ltd
11/F, Unit B, Winbase Centre
208 Queen's Road Central
Sheung Wan, Hong Kong

DEWALT® and GUARANTEED TOUGH.® are trademarks of Stanley Black & Decker, Inc. and used under license by SAM-Works HK Ltd.

All rights reserved. Neither this catalogue nor its text, illustrations, drawings or any part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without our consent. To the best of our knowledge, all descriptions and illustrations contained in, this catalogue are correct at the time of going to print. We cannot, however, be held liable for any inaccuracies of description or illustration and reserve the right to change specifications without notification. © DEWALT® 2019.